

LED FLOODLIGHT FAMILY

L20WFL-12A

L30WFL-18A

L50WFL-30A

Features

- Energy efficient LED floodlight
- Low energy consumption compared to traditional HID floodlights
- Longer lamp lifespan
- High brightness
- Die-cast aluminium casing, IP65
- Environment-friendly materials
- Low heat emissions
- Lower maintenance requirements and cost
- Compact size
- Instant start and restart. No more waiting for ignition
- Flexible installation
- Reduce waste
- Choice of color temperature (6000K, 3000K)
- Available in 20W, 30W, 50W versions

Applications

- Architectural Lighting
- High-security areas
- Home security lighting
- Commercial lighting
- Stage lighting



Distributed by:

Denki Shoji Sdn. Bhd. (758673-V)
Lot S2.05, 2nd Floor,
Kompleks Selayang Capitol, Lebuhraya
Selayang-Kepong, Selayang,
68100 Batu Caves, Selangor, Malaysia.
Tel: 03-6136 1333 Fax: 03-6135 1333
Email: inquiry@oro-p.com



Specifications

Power (Watts)	20W
Number of LED	12
Voltage (AC, V)	85-265V, 50/60Hz
Voltage (DC, V)	25 -35V
Current (A)	0.08A
Power Factor (PF)	0.95
Dimensions (WxHxD)	180 x 139 x 114 mm
Weight (KG)	2.5KG



Distributed by:
Denki Shoji Sdn. Bhd. (758673-V)
Lot S2.05, 2nd Floor,
Kompleks Selayang Capitol, Lebuhraya
Selayang-Kepong, Selayang,
68100 Batu Caves, Selangor, Malaysia.
Tel: 03-6136 1333 Fax: 03-6135 1333
Email: inquiry@oro-p.com

ORO-P™
www.oro-p.com

Specifications

Power (Watts)	30W
Number of LED	18
Voltage (AC, V)	85-265V, 50/60Hz
Voltage (DC, V)	25-35V
Current (A)	0.12A
Power Factor (PF)	0.95
Dimensions (WxHxD)	225 x 185 x 129 mm
Weight (KG)	3.5KG



Distributed by:
Denki Shoji Sdn. Bhd. (758673-V)
Lot S2.05, 2nd Floor,
Kompleks Selayang Capitol, Lebuhraya
Selayang-Kepong, Selayang,
68100 Batu Caves, Selangor, Malaysia.
Tel: 03-6136 1333 Fax: 03-6135 1333
Email: inquiry@oro-p.com

ORO-P™
www.oro-p.com

Specifications

Power (Watts)	50W
Number of LED	30
Voltage (AC, V)	85-265V, 50/60Hz
Voltage (DC, V)	25-35V
Current (A)	0.21A
Power Factor (PF)	0.95
Dimensions (WxHxD)	287 x 236 x 146 mm
Weight (KG)	4KG



Distributed by:
Denki Shoji Sdn. Bhd. (758673-V)
Lot S2.05, 2nd Floor,
Kompleks Selayang Capitol, Lebuhraya
Selayang-Kepong, Selayang,
68100 Batu Caves, Selangor, Malaysia.
Tel: 03-6136 1333 Fax: 03-6135 1333
Email: inquiry@oro-p.com

ORO-P™
www.oro-p.com