

LED FLOODLIGHT FAMILY

SS-SERIES

FL12SS
FL18SS
FL30SS



Features

- Energy efficient LED floodlight
- Low energy consumption compared to traditional HID floodlights
- Longer lamp lifespan
- High brightness
- Die-cast aluminium casing, IP65
- Environment-friendly materials
- Low heat emissions
- Lower maintenance requirements and cost
- Compact size
- Instant start and restart. No more waiting for ignition
- Flexible installation
- Reduce waste
- Choice of color temperature (6000K, 3000K)
- Available in 12 LED, 18 LED & 30 LED versions

Applications

- Architectural Lighting
- High-security areas
- Home security lighting
- Commercial lighting
- Stage lighting



Distributed by:

Zenith Century International Sdn. Bhd. (758673-V)
Lot S2.05, 2nd Floor, Kompleks Selayang Capitol,
Lebuhraya Selayang-Kepong, Selayang, 68100 Batu
Caves, Selangor, Malaysia.
Tel: 03-6136 1333 Fax: 03-6135 1333
Email: inquiry@oro-p.com



Specifications

Models	FL12SS-2-02B	(3000K)
	FL12SS-6-02B	(6000K)
Power (Watts)	15W	
Number of LED	12	
Current (A)	0.14A	
Lumen (lm)	1650 lm	
Beam Angle (deg)	100 deg	
Dimensions (WxHxD)	180 x 139 x 114 mm	
Weight (KG)	2.5KG	



Distributed by:

Zenith Century International Sdn. Bhd. (758673-V)
Lot S2.05, 2nd Floor, Kompleks Selayang Capitol,
Lebuhraya Selayang-Kepong, Selayang, 68100 Batu
Caves, Selangor, Malaysia.
Tel: 03-6136 1333 Fax: 03-6135 1333
Email: inquiry@oro-p.com



Specifications

Models	FL18SS-2-02B	(3000K)
	FL18SS-6-02B	(6000K)
Power (Watts)	25W	
Number of LED	18	
Current (A)	0.20	
Lumen (lm)	2750 lm	
Beam Angle (deg)	100 deg	
Dimensions (WxHxD)	225 x 185 x 129 mm	
Weight (KG)	3.5KG	



Distributed by:

Zenith Century International Sdn. Bhd. (758673-V)
 Lot S2.05, 2nd Floor, Kompleks Selayang Capitol,
 Lebuhraya Selayang-Kepong, Selayang, 68100 Batu
 Caves, Selangor, Malaysia.
 Tel: 03-6136 1333 Fax: 03-6135 1333
 Email: inquiry@oro-p.com



Specifications

Models	FL30SS-2-02B (3000K) FL30SS-6-02B (6000K)
Power (Watts)	35W
Number of LED	30
Current (A)	0.45A
Lumen (lm)	3850 lm
Beam Angle (deg)	100 deg
Dimensions (WxHxD)	287 x 236 x 146 mm
Weight (KG)	4KG



Distributed by:
 Zenith Century International Sdn. Bhd. (758673-V)
 Lot S2.05, 2nd Floor, Kompleks Selayang Capitol,
 Lebuhraya Selayang-Kepong, Selayang, 68100 Batu
 Caves, Selangor, Malaysia.
 Tel: 03-6136 1333 Fax: 03-6135 1333
 Email: inquiry@oro-p.com

